

Author Index

- | | | |
|-----------------------|------------------------|----------------------------|
| Acharjee, D. K., 105 | Ishii, T., 169 | Remero, A., 115 |
| Alper, E., 37 | Jain, R. C., 105 | Robertson, C. R., B1 |
| Arandes, J. M., 115 | Ju, S.-J., 9 | Rocourt, A. P. A. F., 83 |
| Aust, E., 179 | | |
| Beschkov, V., 191 | Krishna, R., 19, 67 | Salmon, P. M., B1 |
| Bilbao, J., 115 | Kubota, K., 51 | Sawinsky, J., 61 |
| | | Schmidt, W., B15 |
| Deák, A., 61 | Laguerie, C., 147, 157 | Scholten, J. J. F., 25, 83 |
| Dehlke, K., 179 | Lemcoff, N. O., 69 | Schügerl, K., B15 |
| Díaz, J. M., B23 | Lombrana, J. I., B23 | Sen Gupta, P., 105 |
| | Lorenz, T., B15 | Shibata, Y., 51 |
| Eduljee, G. H., 1 | Lu, W.-M., 9 | Stamatoudis, M., 137 |
| Emig, G., 179 | | Stoyanova, P., 191 |
| | Masaki, H., 51 | |
| Krishna, R., 75 | Mavituna, F., B9 | Takahashi, K., 51 |
| | | Tavlarides, L. L., 137 |
| Gabitto, J. F., 69 | Nikov, I., 191 | Tosun, I., 65 |
| | | |
| Havas, G., 61 | Ogboja, O., 43 | van den Berg, P. J., 25 |
| Havsteen, B., 123 | Olazar, M., 115 | van Krugten, P. J., 25, 83 |
| Hayashi, S., 51 | | Vetere, A., 211, 215 |
| Hemati, M., 147, 157 | Palla, M. A., 37 | |
| Herman, J. M., 25, 83 | Park, J. M., B9 | Wakao, H., 169 |
| Hiraguchi, H., 169 | Pons, M.-N., 201 | Willis, M. S., 65 |

Subject Index

- Aerated stirred tank
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Agitated vessels
 - heat transfer of helical coils in agitated vessels, 61
- Alcohols
 - correlating the fluidity of some n-alcohols using a modified free volume equation, 1
- Anemometry
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Batch freeze-drier
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Batch isothermal stirred tank
 - simulation of crystallization from aqueous supersaturated solutions in a batch isothermal stirred tank, 169
- Boundary layer
 - kinetics of formation of a flow-inhibiting boundary layer in liquid-solid filtration, 123
- Carbon
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Catalysts
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Chromatographic response curves
 - simulation and evaluation of chromatographic response curves using various methods, 179
- Computer-aided design
 - procedure for computer-aided design of water-cooling towers, 43
- Critical temperatures
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Critical volumes
 - methods for the estimation of critical volumes, 215
- Crystallization
 - simulation of crystallization from aqueous supersaturated solutions in a batch isothermal stirred tank, 169
- Culture
 - size distribution of plant cell aggregates in batch culture, B9
- Diffusion
 - diffusion in multicomponent electrolyte systems, 19
- Diffusivities
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Dusty gas model
 - simplified procedure for the solution of the dusty gas model equations for steady-state transport in non-reacting systems, 75
- Electrochemical determination
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Electrolyte
 - diffusion in multicomponent electrolyte systems, 19
- Efficiency
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Fermentation
 - sampling devices in fermentation technology: a review, B15
- Filter cake geometry
 - effect of filter cake geometry on average porosity, 65
- Fluidity
 - correlating the fluidity of some n-alcohols using a modified free volume equation, 1
- Gas holdup
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Geiss body
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Heat programming
 - heat programming to improve efficiency in a batch freeze-drier, B23
- Helical coils
 - heat transfer of helical coils in agitated vessels, 61
- Hexenal
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal

- and propane: extrinsic catalyst poisoning, 25
- High temperatures
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Hydroformylation
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Industrial hydroformylation
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Internal diffusion restrictions
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Jet contactor
 - some studies in the leaching of rock phosphate in a jet contactor, 105
- Kinetics
 - kinetics of formation of a flow-inhibiting boundary layer in liquid-solid filtration, 123
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Kinetic study
 - kinetic study of the regeneration of solid catalysts under internal diffusion restrictions, 115
- Mass transfer coefficients
 - local solid-liquid mass transfer coefficients in a trickle bed reactor, 69
 - physical significance of the mass transfer coefficient, 67
- Membranes
 - Monte Carlo model of microporous plane membranes, 201
- Microporous plane membranes
 - Monte Carlo model of microporous plane membranes, 201
- Monte Carlo model
 - Monte Carlo model of microporous membranes, 201
- Non-newtonian power-law fluids
 - electrochemical determination of diffusivities in non-newtonian power-law fluids by a rotating Geiss body, 191
- Olefins
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Organic compounds
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Oxidation
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Packed bed
 - theoretical model for the estimation of the effective thermal conductivity of a packed bed of fine particles, 51
- Plant cell aggregates
 - size distribution of plant cell aggregates in batch culture, B9
- Poisoning
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Porosity
 - effect of filter cake geometry on average porosity, 65
- Propane
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
- Propylene
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83
- Pyrolysis
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Rackett equation
 - estimation of the critical temperatures and pressures of organic compounds by using the Rackett equation, 211
- Rhodium
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part V: The formation of 2-ethyl-2-hexenal and propane: extrinsic catalyst poisoning, 25
 - industrial hydroformylation of olefins with rhodium-based supported liquid phase catalyst (SLPC),
 - Part VI: General predesign of a large-scale SLPC plant for hydroformylation of propylene, 83

- Rock phosphate
 - some studies in the leaching of rock phosphate in a jet contactor, 105
- Sampling devices
 - sampling devices in fermentation technology: a review, B15
- Sodium sulphide
 - oxidation of aqueous sodium sulphide solutions containing fine activated carbon particles at elevated temperatures, 37
- Steady-state transport
 - simplified procedure for the solution of the dusty gas model equations for steady-state transport in non-reacting systems, 75
- Supersaturated solutions
 - simulation of crystallization from aqueous supersaturated solutions in a batch isothermal stirred tank, 169
- Thermal conductivity
 - theoretical model for the estimation of the effective thermal conductivity of a packed bed of fine particles, 51
- Thermobalance
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157
- Trickle bed reactor
 - local solid-liquid mass transfer coefficients in a trickle bed reactor, 69
- Turbulence
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Unsteady state behavior
 - effect of continuous-phase viscosity on the unsteady state behavior of liquid-liquid agitated dispersions, 137
- Velocity
 - local gas holdup, mean liquid velocity and turbulence in an aerated stirred tank using hot-film anemometry, 9
- Viscosity
 - effect of continuous-phase viscosity on the unsteady state behavior of liquid-liquid agitated dispersions, 137
- Water-cooling towers
 - procedure for computer-aided design of water-cooling towers, 43
- Wood
 - kinetic study of the pyrolysis of wood at high temperatures in a thermobalance, 147, 157

1

6

7